

VILLAGE PRESIDENT
Seth Speiser

VILLAGE CLERK
Jerry Menard

VILLAGE TRUSTEES
Ray Matchett, Jr.
Steve Smith
Mike Blaies
Mathew Trout
Dean Pruett
Elizabeth Niebruegge

VILLAGE OF FREEBURG

FREEBURG MUNICIPAL CENTER
14 SOUTHGATE CENTER, FREEBURG, IL 62243
PHONE: (618) 539-5545 • FAX: (618) 539-5590
Web Site: www.freeburg.com

VILLAGE ADMINISTRATOR
Tony Funderburg

VILLAGE TREASURER
Bryan A. Vogel

PUBLIC WORKS DIRECTOR
John Tolan

POLICE CHIEF
Stanley Donald

VILLAGE ATTORNEY
Weilmuenster Law Group, P.C

November 10, 2014

NOTICE

MEETING OF THE PUBLIC WORKS COMMITTEE Trash/Water/Sewer (Pruett/Matchett/Blaies)

A Public Works Committee Meeting of the Village of Freeburg will be held at the Municipal Center, Executive Board Room, on **Wednesday, November 15, 2014, at 6:00 p.m.**

PUBLIC WORKS COMMITTEE MEETING AGENDA

- I. Items To Be Reviewed
 - A. Old Business
 1. Approval of October 15, 2014 Minutes
 2. Sewer Project/Phase 1B
 3. Sewer issues
 4. Water Main Extension along Rentchler Road
 5. Countryside Lane annexations
 6. GIS Implementation
 7. SLM water issues
 - B. New Business
 1. FSH Minutes
 2. West Treatment Plant Sample Limit Exception
 - C. General Concerns
 - D. Public Participation
 - E. Adjourn

At said Committee Meeting, the Village Board of Trustees may vote on whether or not to hold an Executive Session to discuss potential litigation, [5 ILCS, 120/2 - (c)(11)]; the selection of a person to fill a public office [5 ILCS, 120/2 - (c) (3)] personnel [5 ILCS, 120/2 - (c) (1)]; or real estate transactions [5 ILCS, 120/2 - (c) (5)].

VILLAGE PRESIDENT
Seth Speiser

VILLAGE CLERK
Jerry Menard

VILLAGE TRUSTEES
Ray Matchett, Jr.
Steve Smith
Mike Blaies
Mathew Trout
Dean Pruett
Elizabeth Niebruegge

VILLAGE OF FREEBURG

FREEBURG MUNICIPAL CENTER
14 SOUTHGATE CENTER, FREEBURG, IL 62243
PHONE: (618) 539-5545 • FAX: (618) 539-5590
Web Site: www.freeburg.com

PUBLIC WORKS COMMITTEE MEETING
Trash/Water/Sewer
(Pruett/Matchett/Blaies)

Wednesday, November 12, 2014 at 6:00 p.m.

VILLAGE ADMINISTRATOR
Tony Funderburg

VILLAGE TREASURER
Bryan A. Vogel

PUBLIC WORKS DIRECTOR
John Tolan

POLICE CHIEF
Stanley Donald

VILLAGE ATTORNEY
Weilmuenster Law Group, P.C

The Public Works Committee Meeting was called to order at 6:21 p.m. on Wednesday, November 12, 2014, by Chairman Dean Pruett. Members present were Chairman Dean Pruett, Trustee Ray Matchett (absent), Trustee Mike Blaies, Mayor Seth Speiser, Village Clerk Jerry Menard (absent), Trustee Elizabeth Niebruegge, Trustee Matt Trout, Trustee Steve Smith, Public Works Director John Tolan, Head Lineman Shane Krauss, Village Administrator Tony Funderburg and Office Manager Julie Polson.

A. OLD BUSINESS:

1. Approval of October 15, 2014 minutes: Trustee Mike Blaies motioned to approve the October 15, 2014 minutes and Trustee Dean Pruett seconded the motion. All voting yea, the motion carried.
2. Sewer project: Attorney Manion is working with Helms' attorney.
3. Sewer issues: Public Works Director John Tolan reported no issues.
4. Water main extension along Rentschler Road: Mayor Speiser said there is nothing new to report.
5. Countryside Lane annexations: Tony said we had a title search done on the road and it shows ownership by Smithton and Schlueter. We will have something done soon on this. Tim Pruett will be submitting an engineering agreement for approval at Monday night's board meeting on this.
6. GIS Implementation: John said TWM has the electric entered into the system. John talked to them and asked if he could get the water/sewer maps on disc.
7. SLM Water Issues: John said it seems to be settling down a little bit. He is continuing to monitor Save site.

B. NEW BUSINESS:

1. FSH Minutes: John said the minutes will be included for informational purposes. John said we will see a contract from SLM regarding the emergency interconnect with Illinois American Water that states we will not sell them any water, and only buy water on an emergency basis.
2. West Treatment Plant Sample Limit Exception: John said EPA shows we collected a bad sample back in June. He said we had a significant rain event that contributed to the exception. He will send them a letter explaining what happened. We will be inspected by EPA at the end of the month.

Water/Sewer Committee Meeting
Wednesday, November 12, 2014
Page 1 of 2

Tony said we have a resident that is being billed sewer and trash at in town rates, and they are not within the Village limits. The committee directed Tony to send a letter asking them if they would be interested in annexing into the Village. If not, we will adjust the rates accordingly. John said he is going to try and get the Ethers hooked up to the sewer. Tony said we have our code that we need to follow.

C. **GENERAL CONCERNS:** None.

D. **PUBLIC PARTICIPATION:** None.

E. **ADJOURN:** *Trustee Mike Blaies motioned to adjourn at 6:34 p.m. and Trustee Dean Pruett seconded the motion. All voting aye, the motion carried.*



Julie Polson,
Office Manager

VILLAGE PRESIDENT
Seth Speiser

VILLAGE CLERK
Jerry Menard

VILLAGE TRUSTEES
Ray Matchett, Jr.
Steve Smith
Mike Blaies
Mathew Trout
Dean Pruett
Elizabeth Niebruegge

VILLAGE OF FREEBURG

FREEBURG MUNICIPAL CENTER
14 SOUTHGATE CENTER, FREEBURG, IL 62243
PHONE: (618) 539-5545 • FAX: (618) 539-5590
Web Site: www.freeburg.com

PUBLIC WORKS COMMITTEE MEETING
Trash/Water/Sewer
(Pruett/Matchett/Blaies)
Wednesday, October 15, 2014 at 6:00 p.m.

VILLAGE ADMINISTRATOR
Tony Funderburg

VILLAGE TREASURER
Bryan A. Vogel

PUBLIC WORKS DIRECTOR
John Tolan

POLICE CHIEF
Stanley Donald

VILLAGE ATTORNEY
Weilmuenster Law Group, P.C

The Public Works Committee Meeting was called to order at 6:00 p.m. on Wednesday, October 15, 2014, by Chairman Dean Pruett. Members present were Chairman Dean Pruett, Trustee Ray Matchett, Trustee Mike Blaies (absent), Mayor Seth Speiser, Village Clerk Jerry Menard, Trustee Elizabeth Niebruegge, Trustee Matt Trout, Trustee Steve Smith, Public Works Director John Tolan, Village Administrator and Office Manager Julie Polson. Guest present: Janet Baechle.

A. OLD BUSINESS:

1. Approval of September 10, 2014 minutes: Trustee Ray Matchett motioned to approve the September 10, 2014 minutes and Trustee Dean Pruett seconded the motion. All voting yea, the motion carried.
2. Sewer project: Village Administrator Tony Funderburg advised we have turned this over to Attorney Manion. He has been in contact with Helms' attorney and said there is some positive movement on this.
3. Sewer issues: Public Works Director John Tolan said Gary Schaefer put in a new sewer line and we installed check valves. Office Manager Julie Polson advised the insurance company has settled with the claimants and is paying the claims. She will provide everyone with a copy of the report detailing the amounts paid once it is received.
4. Water main extension along Rentschler Road: We have not heard anything new.
5. Countryside Lane annexations: Tony advised the EPA has the construction permit and advised there is a 40-day turn around on them. He also said there is a slight issue with the road. When Tim Pruett was working on the permit, he found out Smithton maintains the road but they were hired by Belleville to do that. Tony said Belleville states that none of that is their road. Tony said Belleville needs to understand we are annexing properties and taking over ownership and maintenance of the road. He said Smithton is happy to give it to us.
6. Time limit on tap on fees purchased but not used: We will make sure this gets into the approved code. Item can be taken off the agenda.
7. GIS Implementation: John said Shane has the electric system ready to go. We are moving along on this project.

- C. **GENERAL CONCERNS:** John reported Jesse is working on the hydrant flushing and testing. John reported on other water and sewer repairs.
- D. **PUBLIC PARTICIPATION:** None.
- E. **ADJOURN:** *Trustee Ray Matchett motioned to adjourn at 6:27 p.m. and Trustee Dean Pruett seconded the motion. All voting aye, the motion carried.*



Julie Polson,
Office Manager

F.S.H. WATER COMMISSION
THURSDAY, SEPTEMBER 25, 2014

1. CALL TO ORDER. The meeting of F.S.H. Water Commission was called to order by President Ken Vielweber in the Village of Freeburg at 7:30 PM with the following present: Ken Vielweber, Joel Boeving, John Tolan, Gary Wittenauer, Tim Pruett, Chad Rhutasel and Bryan Vogel.
2. MINUTES. On a motion by John Tolan, seconded by Gary Wittenauer, the August 28th minutes were approved as presented.
3. OCTOBER MEETING AND HEARING DATE. Next meeting and hearing date will be October 23rd at 7:30 PM.
4. GUESTS. None.
5. CORRESPONDENCE & REPORTS. S.L.M. minutes from the August meeting were presented.
6. TREASURER'S REPORT. Treasurer's report, claims and bills for August were presented. A motion to approve the bills and reports was made by Gary Wittenauer, seconded by Joel Boeving. Motion carried by roll call vote. (4-0)

7. INVESTMENTS. As of 09/25/14:

Bank	Amount	Rate	Term	Maturity	Payments	Cert. #
Citizens Bank	\$250,000.00	3.00%	84 MO	09/10/17	Quarterly	11977641
Citizens Bank	\$150,000.00	3.5%	84 MO	10/17/16	Monthly	11977639
Citizens Bank	\$100,000.00	2.97%	84 MO	08/06/17	Monthly	11977640
Citizens Bank	\$150,000.00	2.51%	59 MO	03/20/16	Quarterly	11977642
Citizens Bank	\$300,000.00	1.75%	84 MO	09/06/20	Quarterly	11977643
Money Market	\$310,446.32	1.25%	N/A		Monthly	11977602

8. ENGINEER'S REPORT.

- A. Tim Pruett has talked to the Smithton Mayor with regard to the Smithton waterline easements.
- B. Tim reported that he is meeting with Illinois American Water to discuss interconnect details on October 7th.
- B. Ken Vielweber met with the attorney to update contracts with the entities involved in the interconnect. Revised contracts were e-mailed to F.S.H. Commissioners, Freeburg, Smithton and Hecker. Joel Boeving presented the revised contract to S.L.M. as well.

9. HYDRO SERVICES, INC.

- A. Chad Rhutasel reported that a new meter has been installed at the Smithton water tower.
- B. Chad informed the commissioners that S.L.M. has switched chlorine feeds temporarily to clean lines.
- C. The following bids for internet upgrades were included in the Hydro packet: E.F.I. - \$22K and WD Automation - \$8963. John Tolan motioned and Joel Boeving seconded to accept WD Automation proposal for internet upgrade for water system. Motion carried by roll call. (4-0) Chad will secure agreement and warranty information for project.

10. COMMISSIONER'S COMMENTS.

- A. Vielweber: Nothing.
- B. Boeving: Nothing
- C. Tolan: Nothing
- D. Wittenauer: Gary questioned if Mr. Parker had paid his outstanding water bill. Chad will check.

11. ADJOURN. Joel Boeving motioned and Gary Wittenauer seconded to adjourn at 8:05 PM; motion carried (4-0). The meeting was adjourned until October 23, 7:30 PM.

Bryan A. Vogel / Clerk

Ken Vielweber / Chairman



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-2829

PAT QUINN, GOVERNOR

LISA BONNETT, DIRECTOR

DATE: October 15, 2014

Village of Freeburg
14 Southgate Center
Freeburg, IL. 62243

RECEIVED

NOV 03 2014

Re: Freeburg West Wastewater Treatment Plant
NPDES Permit # IL0032310
DWPC/FOS Grab Sample Effluent Excursion

Gentlemen:

The result of an effluent sample collected from the Freeburg West Wastewater Treatment Plant (WWTP) on 06/04/2014, copy attached, revealed a CBOD concentration of 81.2 mg/l, a TSS concentration of 694 mg/l, and ammonia-nitrogen concentration of 4.78 mg/l. The concentration limits specified in your Freeburg West WWTP NPDES Permit for these parameters are 10 mg/l, 12 mg/l, and 1.5mg/l respectively.

The Illinois Environmental Protection Agency requests a written response to this inquiry letter within **30 days** of date of this letter. The written response should describe the reasons for these effluent excursions and specific actions taken or proposed to prevent them from occurring again. This response should be sent to the following address:

Illinois Environmental Protection Agency
Collinsville Regional Office
2009 Mall Street
Collinsville, IL. 62234

If you have any questions, please feel free to contact Chris Monke by telephone at 618-346-5120

Sincerely,

Environmental Protection Agency

W. Bud Bridgewater, P.E.
Manager, Field Operations Section
Division of Water Pollution
Bureau of Water

Attachment

cc: → Freeburg Village Clerk
DWPC/FOS/Records
Collinsville Regional File

09-Funding Code: WPZ6 10-Agency Routing CV 12-File Code: EFFL 13-Sampling Type: A
15-Reporting: B 16-DID: Basin OCF County 163 Plant 02 17-Sampling Program: M6
18-Facility/Sample Pt: FREEBURG WEST

19-Begin 14 06 04 20-Begin 10 25
Date: Y Y M M D D H H M M

23-Instructions
to Lab: _____

21-Collected by: cmu 22-Transported by: cmu

Composite Sample

Ending Time: 5 2 9 F 0
Y Y M M D D

Ending Time: 5 2 9 F 0
H H M M
(24-hr. clock)

03-Lab Parameter Group: EFF02

Additional Lab Parameters	Field Parameters	Results
	502F0 Air Temp ('C)	---
	502F0 Water Temp ('C)	---
	504F0 Dissolved O2	---
	503F0 Conductance	---
	500F0 pH	<u>7.52</u>

27-Received By: UPS Date: 14 06 04
Y Y M M D D

Received By: _____ Date: _____
Y Y M M D D

Circle One Effluent Stream Specials
Influent Process Flows WWTP
Sludge Cooling Water Other

Program: _____

NPDES No: IL0032310

Receiving Stream Name: _____
RECEIVED
SEP 19 2014

Receiving Stream Conditions (City, etc):
COLLETSVILLE OFFICE

Effluent Conditions: Dark / A lot of Solids

Weather Conditions: Sunny ~ 79°F

Comments and Unusual Conditions and
Severity: (If applicable, Stamp
"No Visible Problems This Visit")

Plant Bulking Solids

Remarks Trip ID: 2000 Visit No. 001

Sampling Techniques: Grab

FOR LABORATORY USE ONLY

LAB ID NO.

Sample Received By: EMB

Date Received: JUN 05 2014

Time Received: 0930 AM _____ PM

Lab Section: _____

Supervisor: cmc 8/18/14

cc:

SF40197

Mail To:

JOHN TOLAN
VILLAGE OF FREEBURG
14 SOUTHGATE CENTER
FREEBURG, IL 62243



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **FREEBURG WEST**

Project/Facility Number: IL0032310 Date Received : 06/05/14

Funding Code: WPZ6 Visit Number:

Trip ID: Temperature C: 14.0

Client Sample ID: **C1** Lab Sample ID: **SF40197-01**

Matrix: Water Date/Time Collected: 06/04/14 10:25

Sample Type: Grab Field pH: 7.52 Collected By: CMM

Carbonaceous BOD, 5 day, by Standard Method 5210B

Method: 5210B Prepared: 06/05/14 11:08

Units: mg/L Analyzed: 06/10/14 13:47

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
CBOD, 5 day	81.2	L, V	2.00	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: USEPA 350.1 Prepared: 06/18/14 13:17

Units: mg/L Analyzed: 06/23/14 10:05

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N *	4.78		0.10	

pH

Method: 150.1 Prepared: 06/06/14 11:17

Units: PH Analyzed: 06/06/14 11:19

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.0	Q	0.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
08/18/14 15:21
Page 1 of 3



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name:	FREEBURG WEST	Date Received :	06/05/14
Project/Facility Number:	IL0032310	Visit Number:	
Funding Code:	WPZ6	Temperature C:	14.0
Trip ID:		Lab Sample ID:	SF40197-01
Client Sample ID:	C1	Date/Time Collected:	06/04/14 10:25
Matrix:	Water	Collected By:	CMM
Sample Type:	Grab	Field pH:	7.52

Total Suspended Solids by Standard Method 2540D

Method:	2540D	Prepared:	06/10/14 08:53
Units:	mg/L	Analyzed:	06/10/14 12:32

<u>Analvte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Suspended Solids	694		4	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
08/18/14 15:21
Page 2 of 3



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **FREEBURG WEST**

Project/Facility Number: IL0032310

Funding Code: WPZ6

Trip ID:

Date Received : 06/05/14

Visit Number:

Temperature C: 14.0

Notes and Definitions

- V Indicates the analyte was detected in both the sample and the associated method blank and was outside method blank acceptance criteria.
- Q Maximum holding time exceeded.
- L Actual value not known, but known to be greater than value shown. Value shown is the highest acceptable level for quantitation. (For bacteria, result calculated as if the smallest filtration volume had a count of 200).
- ND Analyte NOT DETECTED at or above the reporting limit
- * Non-NELAP accredited

Report Authorized by:

Matthew C. Neely
Organic Analysis Unit Supervisor

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:

08/18/14 15:21

Page 3 of 3